

TRANSMITTAL LETTER TO THE UNITED STATES

112701-338

DESIGNATED/ELECTED OFFICE (DO/EO/US)

U.S. APPLICATION NO. (IF KNOWN, SEE 37 CFR

CONCERNING A FILING UNDER 35 U.S.C. 371

10/070799

INTERNATIONAL APPLICATION NO.

PCT/EP00/08747

INTERNATIONAL FILING DATE

6 September 2000

PRIORITY DATE CLAIMED

7 September 1999

TITLE OF INVENTION

METHOD FOR IMPROVING THE SKIN AND COAT OF PETS

APPLICANT(S) FOR DO/EO/US

Linda A. Young

Applicant herewith submits to the United States Designated/Elected Office (DO/EO/US) the following items and other information:

1. ☒ This is a **FIRST** submission of items concerning a filing under 35 U.S.C. 371.
2. ☐ This is a **SECOND** or **SUBSEQUENT** submission of items concerning a filing under 35 U.S.C. 371.
3. ☒ This is an express request to begin national examination procedures (35 U.S.C. 371(f)). The submission must include items (5), (6), (9) and (24) indicated below.
4. ☒ The US has been elected by the expiration of 19 months from the priority date (Article 31).
5. ☒ A copy of the International Application as filed (35 U.S.C. 371 (c) (2))
 - a. ☒ is attached hereto (required only if not communicated by the International Bureau).
 - b. ☐ has been communicated by the International Bureau.
 - c. ☐ is not required, as the application was filed in the United States Receiving Office (RO/US).
6. ☐ An English language translation of the International Application as filed (35 U.S.C. 371(c)(2)).
 - a. ☐ is attached hereto.
 - b. ☐ has been previously submitted under 35 U.S.C. 154(d)(4).
7. ☒ Amendments to the claims of the International Application under PCT Article 19 (35 U.S.C. 371 (c)(3))
 - a. ☒ are attached hereto (required only if not communicated by the International Bureau).
 - b. ☐ have been communicated by the International Bureau.
 - c. ☐ have not been made; however, the time limit for making such amendments has NOT expired.
 - d. ☐ have not been made and will not be made.
8. ☐ An English language translation of the amendments to the claims under PCT Article 19 (35 U.S.C. 371(c)(3)).
9. ☒ An oath or declaration of the inventor(s) (35 U.S.C. 371 (c)(4)).
10. ☐ An English language translation of the annexes to the International Preliminary Examination Report under PCT Article 36 (35 U.S.C. 371 (c)(5)).
11. ☒ A copy of the International Preliminary Examination Report (PCT/IPEA/409).
12. ☒ A copy of the International Search Report (PCT/ISA/210).

Items 13 to 20 below concern document(s) or information included:

13. ☐ An Information Disclosure Statement under 37 CFR 1.97 and 1.98.
14. ☐ An assignment document for recording. A separate cover sheet in compliance with 37 CFR 3.28 and 3.31 is included.
15. ☐ A **FIRST** preliminary amendment.
16. ☐ A **SECOND** or **SUBSEQUENT** preliminary amendment.
17. ☐ A substitute specification.
18. ☐ A change of power of attorney and/or address letter.
19. ☐ A computer-readable form of the sequence listing in accordance with PCT Rule 13ter.2 and 35 U.S.C. 1.821 - 1.825.
20. ☐ A second copy of the published international application under 35 U.S.C. 154(d)(4).
21. ☐ A second copy of the English language translation of the international application under 35 U.S.C. 154(d)(4).
22. ☒ Certificate of Mailing by Express Mail
23. ☒ Other items or information:

Return Receipt Postcard

Express Mail Label No.: EL 727 382 276 US

U.S. APPLICATION NO (IF KNOWN, SEE 37 CFR 1.101) <div style="font-size: 1.2em; font-weight: bold;">10/070799</div>	INTERNATIONAL APPLICATION NO. <div style="font-weight: bold;">PCT/EP00/08747</div>	ATTORNEY'S DOCKET NUMBER <div style="font-weight: bold;">112701-338</div>
---	---	--

24. The following fees are submitted:

BASIC NATIONAL FEE (37 CFR 1.492 (a) (1) - (5)) :

<input type="checkbox"/> Neither international preliminary examination fee (37 CFR 1.482) nor international search fee (37 CFR 1.445(a)(2)) paid to USPTO and International Search Report not prepared by the EPO or JPO	\$1040.00
<input checked="" type="checkbox"/> International preliminary examination fee (37 CFR 1.482) not paid to USPTO but International Search Report prepared by the EPO or JPO	\$890.00
<input type="checkbox"/> International preliminary examination fee (37 CFR 1.482) not paid to USPTO but international search fee (37 CFR 1.445(a)(2)) paid to USPTO	\$740.00
<input type="checkbox"/> International preliminary examination fee (37 CFR 1.482) paid to USPTO but all claims did not satisfy provisions of PCT Article 33(1)-(4)	\$710.00
<input type="checkbox"/> International preliminary examination fee (37 CFR 1.482) paid to USPTO and all claims satisfied provisions of PCT Article 33(1)-(4) ...	\$100.00

ENTER APPROPRIATE BASIC FEE AMOUNT =

Surcharge of **\$130.00** for furnishing the oath or declaration later than ☐ 20 ☐ 30 months from the earliest claimed priority date (37 CFR 1.492 (c)).

CLAIMS	NUMBER FILED	NUMBER EXTRA	RATE	
Total claims	33 - 20 =	13	x \$18.00	\$234.00
Independent claims	12 - 3 =	9	x \$84.00	\$756.00
Multiple Dependent Claims (check if applicable). <input type="checkbox"/>				\$0.00
TOTAL OF ABOVE CALCULATIONS =				\$1,880.00
<input type="checkbox"/> Applicant claims small entity status. See 37 CFR 1.27). The fees indicated above are reduced by 1/2.				\$0.00
SUBTOTAL =				\$1,880.00
Processing fee of \$130.00 for furnishing the English translation later than <input type="checkbox"/> 20 <input type="checkbox"/> 30 months from the earliest claimed priority date (37 CFR 1.492 (f)).				\$0.00
TOTAL NATIONAL FEE =				\$1,880.00
Fee for recording the enclosed assignment (37 CFR 1.21(h)). The assignment must be accompanied by an appropriate cover sheet (37 CFR 3.28, 3.31) (check if applicable). <input type="checkbox"/>				\$0.00
TOTAL FEES ENCLOSED =				\$1,880.00
				Amount to be: refunded \$
				charged \$

CALCULATIONS PTO USE ONLY

a. ☒ A check in the amount of \$1,880.00 to cover the above fees is enclosed.

b. ☐ Please charge my Deposit Account No. _____ in the amount of _____ to cover the above fees. A duplicate copy of this sheet is enclosed.

c. ☒ The Commissioner is hereby authorized to charge any additional fees which may be required, or credit any overpayment to Deposit Account No. 02-1818. A duplicate copy of this sheet is enclosed.

d. ☐ Fees are to be charged to a credit card. **WARNING:** Information on this form may become public. **Credit card information should not be included on this form.** Provide credit card information and authorization on PTO-2038.

NOTE: Where an appropriate time limit under 37 CFR 1.494 or 1.495 has not been met, a petition to revive (37 CFR 1.137(a) or (b)) must be filed and granted to restore the application to pending status.

SEND ALL CORRESPONDENCE TO:

Robert M. Barrett, Esq.
 ATTORNEYS FOR APPLICANTS
 Bell, Boyd & Lloyd LLC
 P.O. Box 1135
 Chicago, Illinois 60690-1135

SIGNATURE

Robert M. Barrett

NAME

30,142

REGISTRATION NUMBER

March 7, 2002

DATE

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Linda A. Young
Appl. No.: PCT/EP00/08747
Filed: Filed Herewith
Title: METHOD FOR IMPROVING THE SKIN AND COAT OF PETS
Art Unit: Unknown
Examiner: Unknown
Docket No.: 112701-338

Commissioner for Patents
Washington, DC 20231

PRELIMINARY AMENDMENT

Sir:

Please amend the above-identified patent application as follows:

In the Claims:

Please amend Claims 4-5, 9, 11-12, 16-19, 25 and 32 as follows:

4. A method according to claim 1 in which the prebiotic is selected from the group of inulin, fructooligosaccharides and plant materials which contain inulin and/or fructooligosaccharides.

5. A method according to claim 1 in which the pet food further comprises a long chain fatty acid.

9. A method according to claim 6 in which the nutritional agent is selected from the group of prebiotics and probiotic micro-organisms.

11. A method according to claim 6 in which the pet food further comprises a long chain fatty acid.

12. A method according to claim 6 in which the pet food further comprises a zinc source.

16. A method according to claim 13 in which the pet food contains about 0.1% to about 5% by weight of a prebiotic fiber as the nutritional agent.

17. A method according to claim 13 in which the pet food contains about 10^4 to about 10^{11} cells of a probiotic micro-organism per gram of the pet food as the nutritional agent.

18. A method according to claim 13 in which the pet food further comprises a long chain fatty acid.

19. A method according to claim 13 in which the pet food further comprises a zinc source.

25. A method according to claim 20 wherein the nutritional agent is selected from the group of prebiotics and probiotic micro-organisms .

32. Use according to claim 30 wherein the composition includes chicory.

REMARKS

Pursuant to this Preliminary Amendment, Claims 4-5, 9, 11-12, 16-19, 25 and 32 have been amended.

The Preliminary Amendment does not add new matter. Moreover, Applicants note for the record, the Preliminary Amendment is not being used for purposes of narrowing the claims to avoid prior art. Rather, the Preliminary Amendment is being made to remove multiple dependent claims. Therefore, Applicants do not intend to disclaim any subject matter in view of this Preliminary Amendment.

Attached hereto is a marked-up version of the changes made to the specification and claims by the current amendment. The attached page is captioned "**Versions with Markings to Show Changes Made.**"

Respectfully submitted,

BELL, BOYD & LLOYD LLC

BY 

Robert M. Barrett
Reg. No. 30,142
P.O. Box 1135
Chicago, Illinois 60690-1135
Phone: (312) 807-4204

/

In the Claims:

Please amend Claims 4-5, 9, 11-12, 16-19, 25 and 32 as follows:

4. (Amended) A method according to claim 1 [or claim 3] in which the prebiotic is selected from the group of inulin, fructooligosaccharides and plant materials which contain inulin and/or fructooligosaccharides.

5. (Amended) A method according to [any of claims 2 to 4] claim 1 in which the pet food further comprises a long chain fatty acid.

9. (Amended) A method according to [any one of claims] claim 6 [to 8] in which the nutritional agent is selected from the group of prebiotics and probiotic micro-organisms.

11. (Amended) A method according to [any one of claims] claim 6 [to 10] in which the pet food further comprises a long chain fatty acid.

12. (Amended) A method according to [any one of claims] claim 6 [to 11] in which the pet food further comprises a zinc source.

16. (Amended) A method according to claim 13 [or claim 14] in which the pet food contains about 0.1% to about 5% by weight of a prebiotic fiber as the nutritional agent.

17. (Amended) A method according to [any one of claims] claim 13 [to 16] in which the pet food contains about 10^4 to about 10^{11} cells of a probiotic micro-organism per gram of the pet food as the nutritional agent.

18. (Amended) A method according to [any one of claims] claim 13 [to 17] in which the pet food further comprises a long chain fatty acid.

19. (Amended) A method according to [any one of claims] claim 13 [to 18] in which the pet food further comprises a zinc source.

Appl. No. PCT/EP00/08747

25. (Amended) A method according to [any one of claims] claim 20 [to 24] wherein the nutritional agent is selected from the group of prebiotics and probiotic micro-organisms .

32. (Amended) Use according to claim 30 [or 31] wherein the composition includes chicory.

Field of the invention

This invention relates to a method of improving or maintaining the condition of the skin and coat system of a pet; especially dog and cat pets.

Background of the invention

A possible link between yeasts and coat condition for dogs is suggested in the paper by Lowe, J.A.; "Canine Nutrition — Recent Advances"; 1988; Conference on Biotechnology in the Feed Industry. Proceedings of Alltech, UK, p.283.

Although the skin is the major external protective organ of a pet, a healthy coat is generally considered to be indicative of a healthy pet; and *vice versa*. For this reason, coat problems are one of the primary causes for pet owners to take their pets to veterinarians. These problems need not necessarily manifest themselves only in the coat, but may appear in the form of a dermatosis such as skin flaking, itchiness, skin lesions, and general dryness of the skin. These are often indicative of a malaise of the protective system provided by the skin and coat as an integrated functioning unit.

Much can be done to maintain or improve the pet's condition by feeding it a complete and balanced food. This provides the essential nutrients and minerals needed to maintain its skin and coat. However, in view of the many agents in the environment that may damage a pet's skin and coat system, feeding the pet a complete and balanced food may not always be sufficient. Therefore many supplements are commercially available for feeding to pets for improving their skin and coat. These supplements are often of questionable efficacy.

Zinc and linoleic acid are believed to improve the skin of pets. Therefore it has been suggested to include both zinc and linoleic acid in pet foods in excess of the pet's requirements. This approach is described in International Patent Application Number WO 98/56263. However, the levels of zinc required are in excess of those permitted in pet foods in certain markets. Also, high levels of linoleic acid are believed by some veterinarians to be pro-inflammatory.

Probiotic microorganisms are known from US57560088 to Matsuura et al to provide prophylaxis against dermatosis when administered in combination with a poly-unsaturated fatty acid and biotin and in the form of a prescription diet.

Despite these attempts, there nevertheless remains a need for a method of improving or maintaining the skin and coat system of pets in an integrated manner before the pet presents with disease symptoms. It is an object of this invention therefore to assist in alleviating this need.

Summary of the invention

5 This invention is based upon the finding that the condition of the skin and coat system of a pet may be improved, or at least maintained, by administering to the pet a nutritional agent which promotes the growth of bifido- and lactic-bacteria in the gastro-intestinal tract of the pet; and/or increases or improves the digestion of nutrients in the gastro-intestinal tract of the pet.

10 Accordingly, in one aspect, this invention provides a method of maintaining or enhancing the healthy functioning of the skin and coat system of a pet comprising the step of feeding the pet a food composition comprising a nutritional agent which promotes the growth of bifido- and lactic-bacteria in the gastro-intestinal tract of the pet. The healthy functioning may relate to the protective or appearance-enhancing role of the said system or to both.

15 The nutritional agent may be a prebiotic or a probiotic micro-organism, or may include both.

In a preferred embodiment, the nutritional agent is a prebiotic. A preferred example is inulin. The prebiotic is preferably derived from a plant source. The plant source may be included in the food composition. The composition may
20 further include a probiotic micro-organism.

In a further aspect of the invention, a method for improving or maintaining the coat of a pet comprises administering to the pet a nutritional agent which promotes the growth of bifido- and lactic-bacteria in the gastro-intestinal tract of the pet. The nutritional agent preferably assists in improving the microflora
25 balance on the skin of the pet.

In another aspect, this invention provides a method for improving or maintaining the skin and coat system of a pet, the method comprising administering to the pet a nutritional agent which increases the digestion of nutrients in the gastro-intestinal tract of the pet.

30 In a further aspect, this invention provides a method for improving or maintaining the skin and coat system of a pet, the method comprising administering to the pet a nutritional agent which improves the microflora balance on the skin of the pet.

The invention extends also to a method for improving or maintaining the
35 shininess and softness of the coat of a pet, the method comprising administering

to the pet a nutritional agent which promotes the growth of bifido- and lactic-bacteria in the gastro-intestinal tract of the pet.

Also provided, is a method of improving or maintaining shininess and softness of the coat of a pet, the method comprising administering to the pet a nutritional agent which increases the digestion of nutrients in the gastro-intestinal tract of the pet.

According to a further aspect, the invention provides a method of reducing or assisting in the prophylaxis of dandruff in the coat of a pet, the method comprising administering to the pet a nutritional agent which promotes the growth of bifido- and lactic-bacteria in the gastro-intestinal tract of the pet, or increases the digestion of nutrients in the gastro-intestinal tract of the pet.

Preferably the nutritional agent is administered to the pet in the form of a complete and nutritionally balanced pet food.

The nutritional agent may be a prebiotic or a probiotic micro-organism, or may include both in a complementary combination.

The pet food may further contain a source of long chain fatty acids, such as linoleic acid. In addition, it may contain a source of zinc.

In this specification:-

"Prebiotic" means a substance or compound which is fermented by the intestinal flora of the pet and hence promotes the growth or development of bifido- and lactic-bacteria in the gastro-intestinal tract of the pet at the expense of pathogenic bacteria. The result of this fermentation is a release of fatty acids, in particular short-chain fatty acids in the colon. This has the effect of reducing the pH value in the colon.

"Probiotic micro-organism" means a micro-organism which beneficially affects a host by improving its intestinal microbial balance (Fuller, R; 1989; J. Applied Bacteriology, 66: 365-378). In general, probiotic micro-organisms produce organic acids such as lactic acid and acetic acid which inhibit the growth of pathogenic bacteria such as *Clostridium perfringens* and *Helicobacter pylori*.

Detailed description of embodiments of the invention.

It has been surprisingly found that administering to a pet a nutritional agent which promotes the growth of bifido- and lactic-bacteria in the gastro-intestinal tract of the pet improves, or at least maintains, the condition of the skin and coat system of the pet. Without wishing to be bound by theory, it is believed that,

amongst other mechanisms, increasing the concentrations of bifido- and lactic-bacteria in the gastro-intestinal tract of the pet produces nutrients and/or increases the absorption of nutrients which are responsible for the improvement or maintenance of the condition of the skin and coat of the pet. Further, increasing the concentrations of bifido- and lactic-bacteria in the gastro-intestinal tract of the pet are thought to promote a better microflora balance on the skin of the pet. These are believed to contribute to the effective functioning of the skin and coat as an integrated protective unit as well as giving it a flourishing appearance.

10 The nutritional agent may be a prebiotic or a probiotic micro-organism. Further, both prebiotic fibers and probiotic micro-organisms may be administered to the pet. The prebiotic may also be administered in combination with other active ingredients providing a synergistic benefit to the system or to the coat alone.

15 Suitable prebiotics include oligosaccharides, such as inulin and its hydrolysis products commonly known as fructooligosaccharides, galacto-oligosaccharides, xylo-oligosaccharides or oligo derivatives of starch.

The prebiotics may be provided in any suitable form. For example, the prebiotic may be provided in the form of plant material which contains the fiber. Suitable plant materials includes asparagus, artichokes, onions, wheat or chicory, or residues of these plant materials. Alternatively, the prebiotic fiber may be provided as an inulin extract. Extracts from chicory are particularly suitable. Suitable inulin extracts may be obtained from Orafit SA of Tirlemont 3300, Belgium under the trade mark "Raftiline". For example, the inulin may be provided in the form of Raftiline®ST which is a fine white powder which contains about 90 to about 94% by weight of inulin, up to about 4% by weight of glucose and fructose, and about 4 to 9% by weight of sucrose. Alternatively, the fiber may be in the form of a fructooligosaccharide such as obtained from Orafit SA of Tirlemont 3300, Belgium under the trade mark "Raftilose". For example, the inulin may be provided in the form of Raftilose®P95. Otherwise, the fructooligosaccharides may be obtained by hydrolyzing inulin, by enzymatic methods, or by using micro-organisms.

35 The probiotic micro-organism may be selected from one or more micro-organisms suitable for animal consumption and which is able to improve the microbial balance in the human or animal intestine.

Examples of suitable probiotic micro-organisms include yeasts such as *Saccharomyces*, *Debaromyces*, *Candida*, *Pichia* and *Torulopsis*, moulds such as *Aspergillus*, *Rhizopus*, *Mucor*, and *Penicillium* and *Torulopsis* and bacteria such as the genera *Bifidobacterium*, *Bacteroides*, *Fusobacterium*, *Melissococcus*,
5 *Propionibacterium*, *Enterococcus*, *Lactococcus*, *Staphylococcus*,
Peptostreptococcus, *Bacillus*, *Pediococcus*, *Micrococcus*, *Leuconostoc*, *Weissella*,
Aerococcus, *Oenococcus* and *Lactobacillus*. Specific examples of suitable probiotic micro-organisms are: *Saccharomyces cerevisiae*, *Bacillus coagulans*,
Bacillus licheniformis, *Bacillus subtilis*, *Bifidobacterium bifidum*,
10 *Bifidobacterium infantis*, *Bifidobacterium longum*, *Enterococcus faecium*,
Enterococcus faecalis, *Lactobacillus acidophilus*, *Lactobacillus alimentarius*,
Lactobacillus casei subsp. *casei*, *Lactobacillus casei* Shirota, *Lactobacillus curvatus*,
Lactobacillus delbruckii subsp. *lactis*, *Lactobacillus farciminus*,
Lactobacillus gasseri, *Lactobacillus helveticus*, *Lactobacillus johnsonii*,
15 *Lactobacillus reuteri*, *Lactobacillus rhamnosus* (*Lactobacillus* GG),
Lactobacillus sake, *Lactococcus lactis*, *Micrococcus varians*, *Pediococcus acidilactici*,
Pediococcus pentosaceus, *Pediococcus acidilactici*, *Pediococcus halophilus*,
Streptococcus faecalis, *Streptococcus thermophilus*, *Staphylococcus carnosus*, and *Staphylococcus xylosus*. The probiotic micro-organisms may be in
20 powdered, dried form; especially in spore form for micro-organisms which form spores. Further, if desired, the probiotic micro-organism may be encapsulated to further increase the probability of survival; for example in a sugar matrix, fat matrix or polysaccharide matrix.

The nutritional agent may be administered to the pet as a supplement to the
25 pet's normal diet or as a component of a nutritionally complete pet food. It is preferred to include the nutritional agent in a nutritionally complete pet food. However, if administered as a supplement, this may be done by way of example, by including the agent as in a separate container, such as a sachet in a package together with a nutritionally complete food composition.

30 The nutritionally complete pet food may be in any suitable form; for example in dried form, semi-moist form or wet form. These pet foods may be produced as is conventional. Apart from the nutritional agent, these pet foods may include any one or more of a starch source, a protein source and lipid source. Suitable starch sources are, for example, grains and legumes such as
35 corn, rice, wheat, barley, oats, soy, and mixtures of these. Suitable protein sources may be selected from any suitable animal or vegetable protein source; for

example meat and meat meals, poultry meal, fish meal, soy protein concentrates, milk proteins, gluten, and the like. Suitable lipid sources include meats, animal fats and vegetable fats. The choice of the starch, protein and lipid sources will be largely determined by the nutritional needs of the animal, palatability considerations, and the type of product produced. Further, various other ingredients, for example, sugar, salt, spices, seasonings, vitamins, minerals, flavoring agents, fats and the like may also be incorporated into dried food as desired.

For dried pet foods a suitable process is extrusion cooking, although baking and other suitable processes may be used. When extrusion cooked, the dried pet food is usually provided in the form of a kibble. If a prebiotic is used, the prebiotic may be admixed with the other ingredients of the dried pet food prior to processing. A suitable process is described in European patent application No 0850569. If a probiotic micro-organism is used, the organism is best coated onto or filled into the dried pet food. A suitable process is described in European patent publication Number EP 0 862 863.

For wet foods, the processes described in US patents 4,781,939 and 5,132,137 may be used to produce simulated meat products. Other procedures for producing chunk type products may also be used; for example cooking in a steam oven. Alternatively, loaf type products may be produced by emulsifying a suitable meat material to produce a meat emulsion, adding a suitable gelling agent, and heating the meat emulsion prior to filling into cans or other containers.

The maximum level of prebiotic in the pet food is preferably about 20% by weight; especially about 10% by weight. For example, the prebiotic may comprise about 0.1% to about 5% by weight of the pet food. For pet foods which use chicory as the prebiotic, the chicory may be included to comprise about 0.5% to about 10% by weight of the feed mixture; more preferably about 1% to about 5% by weight.

If a probiotic micro-organism is used, the pet food preferably contains about 10^4 to about 10^{11} cells of the probiotic micro-organism per gram of the pet food; more preferably about 10^6 to about 10^8 cells of the probiotic micro-organism per gram. The pet food may contain about 0.5% to about 20% by weight of the mixture of the probiotic micro-organism; preferably about 1% to about 6% by weight; for example about 3% to about 6% by weight.

The probiotic may be applied to the pet food in any suitable manner. By way of example, it may be mixed with a suitable carrier substrate and sprayed

-7-

onto the food particles, such as kibbles. Examples of carrier substrates are edible fats such as tallow or vegetable oils or fats such as hydrogenated soy fat. Protein digests and water may also be used. The carrier may be applied to the pet food prior to the application of the probiotic, or simultaneously.

5 The pet foods may contain other active agents such as long chain fatty acids and zinc. Suitable long chain fatty acids include alpha-linoleic acid, gamma linolenic acid, linoleic acid, eicosapentanoic acid, and docosahexanoic acid. Fish oils are a suitable source of eicosapentanoic acids and docosahexanoic acid. Borage oil, blackcurrent seed oil and evening primrose oil are suitable sources of
10 gamma linolenic acid. Safflower oils, sunflower oils, corn oils and soy bean oils are suitable sources of linoleic acid. These oils may also be used in the coating substrates referred to above. Zinc may be provided in various suitable forms, for example as zinc sulfate or zinc oxide. Further, many ingredients commonly used in pet foods are sources of fatty acids and zinc. It has been observed that the
15 combination of chicory, as a source of prebiotic, with a linoleic-acid rich oil, such as soy bean oil, provides unexpected benefits, suggestive of a synergistic effect.

 The amount of the pet food to be consumed by the pet to obtain a beneficial effect will depend upon the size, type and age of the pet. However an amount
20 of the pet food to provide a daily amount of about 1g to about 100g of prebiotic, or about 10^6 to about 10^{12} cells of the probiotic micro-organism, would usually be adequate.

 Numerous modifications may be made to the embodiments described above without departing from the scope of the invention. Specific examples are now
25 described for further illustration. The first two involve assessments performed by a trained evaluation panel, the creation of which is now described.

Evaluation panel

30 A trained evaluation panel is created to evaluate the skin and coat condition of pets. Parameters to be evaluated by the panelists are visual parameters, touch parameters, and odor parameters. The panel contains 8 panelists. In order to train the panelists, a full sample range of dogs/cats is selected. Several breeds and colors of dogs or several colors of cats are used. All age groups are included
35 for different levels of coat softness. Similarly, non-odorous and odorous animals are included.

5 A vocabulary and glossary are then developed together with the panelists. Different animals are considered and a list of all possible descriptors is generated. This is then reduced to the essential terms relating to pet skin and coat parameters. A glossary is then written to define each descriptor. High and low values for each descriptor on the scale are agreed upon.

10 The panel is then trained. Three cats and three dogs are used. For each attribute, each panelist evaluates the pet on a discrete 7-point scale ranging from "not" to "very". Each panelist's score is compared to the score of the other panelists. The panelists then agree on how attributes should be scored. The panelists then rate three new dogs/cats for the same attribute. The process is repeated until the scores obtained by the panelists are consistent.

The trained panelists thus:

- agree on the descriptors;
- have learnt to use an agreed questionnaire and follow test procedures; and
- 15 - are reasonably consistent.

Example 1

20 Four dried pet foods are used in the study. Pet food A is a nutritionally complete dried pet food, available under the brand name ALPO Beefy Dinner. (ALPO is a registered trade mark of SOCIETE DES PRODUITS NESTLE S.A. of SWITZERLAND).

25 Pet food B is a nutritionally complete dried pet food which is substantially identical to Pet Food A but which contains 3% by weight of linoleic acid. These are the control foods. Pet food 1 is a nutritionally complete dried pet food which is substantially identical to Pet Food A but which contains 2% by weight of chicory. Pet food 2 is a nutritionally complete dried pet food which is substantially identical to Pet Food 1 but which contains 3% by weight of linoleic acid.

30 A group of 32 dogs are used in the study. The dogs are prefed for 8 weeks using Pet Food A. The dogs are then divided into 4 groups of 8 dogs and fed the following diets for 8 weeks:

Group	Pet Food Diet
A	A
B	B

1	1
2	2

The dogs have free access to water and are fed once a day. The following parameters are determined at 0, 4 weeks, 8 weeks and 12 weeks:-

- Sebum lipids;
- 5 - Skin lipids;
- Sensory parameters such as skin gloss, scaliness, odor, softness, etc (using the trained panel);
- Skin hydration using a corneometer - made in three skin locations (back, below the breast bone, lower abdomen, flank);
- 10 - Sebum production using a sebumeter - made in three skin locations (back, below the breast bone, lower abdomen);
- Skin pH using a skin pH meter - made in three skin locations (back, below the breast bone, lower abdomen);
- Transepidermal water loss using a tewameter - made in three skin
- 15 locations (back, below the breast bone, lower abdomen);
- Skin elasticity using a cutometer- made in three skin locations (back, below the breast bone, lower abdomen);
- Skin thickness using calipers - made in three skin locations (back, below the breast bone, lower abdomen);
- 20 - Skin and coat odor;
- Skin light reflectance and coat gloss (top of head, base of neck, flank and rump);
- oxidative stress such as blood superoxide dismutase levels, glutathione peroxidase and total plasma antioxidant levels;
- 25 - serum alpha-1-glycoprotein as an inflammation marker;
- Blood fatty acids.

The dogs are groomed prior to evaluation by the panel and the panel members do not compare notes during the evaluation.

30 The skin and coat condition of all dogs is visually and tactilely good as can be expected of normal, healthy dogs. However, the dogs which are fed Pet Foods 1 and 2 have increased coat shininess, coat softness, skin hydration score, skin elasticity; and blood, skin and sebum linoleic content. Further these dogs have reduced transepidermal water loss, oxidative stress and inflammation.

All dogs have substantially the same blood chemistry, skin thickness, skin odor, sebum production and skin pH.

Pet Foods 1 and 2 have substantially the same product stability and palatability as Pet Foods A and B.

5

Example 2

The procedure of example 1 is repeated with 32 elderly dogs. Four dried pet foods are used in the study. Pet food A is a nutritionally complete dried pet food (ALPO Beefy Dinner). Pet food 3 is a nutritionally complete dried pet food which is substantially identical to Pet Food A but which contains 2% by weight of chicory, 0.5% by weight of alpha-linoleic acid and 3% by weight of linoleic acid. Pet food 4 is a nutritionally complete dried pet food which is substantially identical to Pet Food 3 but which contains 0.5% by weight of eicosapentanoic acid and docosahexanoic acid in place of the alpha-linoleic acid. Pet food 5 is a nutritionally complete dried pet food which is substantially identical to Pet Food 3 but which contains 0.5% by weight of gamma-linolenic acid in place of the alpha-linoleic acid.

The dogs are prefed for 8 weeks using Pet Food A. The dogs are then divided into 4 groups of 8 dogs and fed the following diets for 8 weeks:

Group	Pet Food Diet
A	A
3	3
4	4
5	5

The evaluation panel's findings are that the skin and coat condition of all dogs is visually and tactilely good as can be expected of normal, healthy dogs. However, the dogs which are fed Pet Foods 3, 4 and 5 have increased coat shininess, coat softness, skin hydration score, skin elasticity; and blood, skin and sebum linoleic content. Further these dogs have reduced transepidermal water loss, oxidative stress and inflammation. All dogs have substantially the same blood chemistry, skin thickness, skin odor, sebum production and skin pH. The dogs fed Pet Food 5 have slightly better skin and coat condition than those fed Pet Foods 3 and 4.

Pet Foods 3, 4 and 5 have substantially the same product stability and palatability as Pet Food A.

Example 3

5

Four canned pet foods are used in the study. As in example 1, Pet food "A" is a nutritionally complete canned pet food, available under the brand name MIGHTY DOG Senior Beef and Rice (MIGHTY DOG is a registered trade mark of SOCIETE DES PRODUITS NESTLE S.A. of SWITZERLAND).

10

Pet food 1 is a nutritionally complete canned pet food which is substantially identical to Pet Food A but which contains 1% by weight of chicory. Pet food 2 is a nutritionally complete canned pet food which is substantially identical to Pet Food A but which contains 0.75% by weight of soybean oil. Pet food 3 is a nutritionally complete canned pet food which is substantially identical to Pet Food A but which contains 1% by weight of chicory and 0.75% by weight soybean oil.

15

A group of 32 dogs are used in the study. The dogs are prefed for 8 weeks using Pet Food A. The dogs are then divided into 4 groups of 8 dogs and fed the following diets for 8 weeks:

20

Group	Pet Food Diet
A	A
1	1
2	2
3	3

The dogs have free access to water and are fed once a day. The prevalence of dandruff in the coat is determined by a 30 member evaluation panel at commencement and then at 7 weeks later.

25

The dogs are groomed prior to evaluation by the panel and the panel members do not compare notes during the evaluation.

In this evaluation the dogs are presented to each of the individual panelists in 24 different pairings. The panelists are asked to indicate on a their scoresheets which dog of the pair presented displays less dandruff.

30

The overall coat condition of all dogs is visually and tactilely good as can be expected of normal, healthy dogs. However, the dogs which are fed Pet Food

3 are found to have noticeably less dandruff than those fed on the control diet, suggesting a synergistic effect between the prebiotic chicory and the fatty acids derived from the soybean oil.

5 Example 4

A feed mixture is made up of corn, corn gluten, chicken and fish meal, salts, vitamins and minerals. The feed mixture is fed into a preconditioner and moistened. The moistened feed leaving the preconditioner is then fed into an
10 extruder-cooker and gelatinised. The gelatinised matrix leaving the extruder is forced through a die and extruded. The extrudate leaving the die head is cut into pieces suitable for feeding to dogs, dried at about 140°C for about 20 minutes, and cooled to form pellets. The water activity of the pellets is about 0.6.

The pellets are sprayed with a coating substrate comprising tallow fat. The
15 probiotic, *Bacillus coagulans*, is in the form of powdered endospores and is applied by dry spraying before the tallow sets so as to adhere to or be partially penetrated in the fat layer. *B. coagulans* in endosporic form is obtainable from Sankyo Pharmaceutical Company under the trade name Lacris-S. The pellets thus hold about 1.6×10^6 cells/g of *B. coagulans*. Results from storage at 37°C
20 for 8 weeks indicate that the micro-organisms display excellent stability and are likely to be stable after one year of storage at normal conditions.

A trial is conducted using 30 dogs. The dogs are fed a standard dried diet corresponding to diet A in example 3 for a week prior to commencement of the trials. Immediately prior to commencement of the trials, the coat condition of the
25 participating dogs is assessed by an evaluation panel as described in Example 3.

The dogs are then separated into two groups of 15 dogs. One group of dogs is fed the dried pellets coated with *B. coagulans* and the tallow coating. The other group of dogs continues to be fed diet A, thus providing a control diet.

Both groups are given free access to the food and to water.

30 After 12 weeks, the coat condition of each dog is again evaluated. The dogs which are fed the pellets with the probiotic and tallow coating have a significantly shinier appearance and display no noticeable dandruff than the dogs on diet A.

Claims

1. A method of maintaining or enhancing the healthy functioning of the skin and coat system of a pet comprising the step of feeding the pet a food composition comprising a nutritional agent which promotes the growth of bifido- and lactic-bacteria in the gastro-intestinal tract of the pet.
2. A method according to claim 1 in which the nutritional agent is selected from the group of prebiotics and probiotic micro-organisms.
3. A method according to claim 2 wherein the food composition includes both a prebiotic and a probiotic micro-organism.
4. A method according to claim 2 or claim 3 in which the prebiotic is selected from the group of inulin, fructooligosaccharides and plant materials which contain inulin and/or fructooligosaccharides.
5. A method according to any one of claims 2 to 4 in which the pet food further comprises a long chain fatty acid.
6. A method for improving or maintaining the coat of a pet, the method comprising administering to the pet a nutritional agent which promotes the growth of bifido- and lactic-bacteria in the gastro-intestinal tract of the pet.
7. A method according to claim 6 in which the nutritional agent is a component of a nutritionally complete pet food.
8. A method according to claim 6 in which the nutritional agent is administered as a supplement to the pet's normal diet.
9. A method according to any one of claims 6 to 8 in which the nutritional agent is selected from the group of prebiotics and probiotic micro-organisms.

-14-

10. A method according to claim 9 in which the prebiotic is selected from the group of inulin, fructooligosaccharides and plant materials which contain inulin and/or fructooligosaccharides.
- 5 11. A method according to any one of claims 6 to 10 in which the pet food further comprises a long chain fatty acid.
12. A method according to any one of claims 6 to 11 in which the pet food further comprises a zinc source.
- 10 13. A method for improving or maintaining the coat of a pet, the method comprising administering to the pet a nutritionally complete pet food which contains a nutritional agent which promotes the growth of bifido- and lactic-bacteria in the gastro-intestinal tract of the pet.
- 15 14. A method according to claim 13 in which the nutritional agent is selected from the group of prebiotics and probiotic micro-organisms.
- 20 15. A method according to claim 14 in which the prebiotic is selected from the group of inulin, fructooligosaccharides and plant materials which contain inulin and/or fructooligosaccharides.
- 25 16. A method according to claim 13 or claim 14 in which the pet food contains about 0.1% to about 5% by weight of a prebiotic fiber as the nutritional agent.
- 30 17. A method according to any one of claims 13 to 16 in which the pet food contains about 10^4 to about 10^{11} cells of a probiotic micro-organism per gram of the pet food as the nutritional agent.
18. A method according to any one of claims 13 to 17 in which the pet food further comprises a long chain fatty acid.
- 35 19. A method according to any one of claims 13 to 18 in which the pet food further comprises a zinc source.

20. A method for improving or maintaining the skin and coat system of a pet, the method comprising administering to the pet a nutritional agent which increases the digestion of nutrients in the gastro-intestinal tract of the pet.
- 5 21. A method for improving or maintaining the skin and coat system of a pet, the method comprising administering to the pet a nutritional agent which improves the microflora balance on the skin of the pet.
- 10 22. A method for improving or maintaining shininess and softness of the coat of a pet, the method comprising administering to the pet a nutritional agent which promotes the growth of bifido- and lactic-bacteria in the gastro-intestinal tract of the pet.
- 15 23. A method for improving or maintaining shininess and softness of the coat of a pet, the method comprising administering to the pet a nutritional agent which increases the digestion of nutrients in the gastro-intestinal tract of the pet.
- 20 24. A method of reducing or assisting in the prophylaxis of dandruff in the coat of a pet, the method comprising administering to the pet a nutritional agent which promotes the growth of bifido- and lactic-bacteria in the gastro-intestinal tract of the pet.
- 25 25. A method according to claim any one of claims 20 to 24 wherein the nutritional agent is selected from the group of prebiotics and probiotic micro-organisms .
- 30 26. A method according to claim 25 wherein the nutritional agent further comprises a fatty acid.
- 35 27. A method for improving or maintaining the coat of a pet, the method comprising administering to the pet a nutritionally complete pet food which contains a long chain fatty acid and a prebiotic selected from the group of inulin, fructooligosaccharides and plant materials which contain inulin and/or fructooligosaccharides.

28. A method of improving or maintaining the coat health of a pet, comprising the step of administering to the pet a prebiotic fiber.
- 5 29. A method according to claim 28 wherein the prebiotic is obtained from a plant source.
30. Use of a prebiotic substance or a probiotic micro-organism in the manufacture of a pet food composition for giving the coat of a pet animal eating it a flourishing appearance.
- 10 31. Use of a prebiotic substance in the manufacture of a pet food composition for reducing dandruff in the coat of a pet animal consuming the composition.
- 15 32. Use according to claim 30 or 31 wherein the composition includes chicory.
33. Use according to claim 32 wherein the composition further includes soybean oil.

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
15 March 2001 (15.03.2001)

PCT

(10) International Publication Number
WO 01/17365 A1

- (51) International Patent Classification⁷: A23K 1/16, 1/18
- (21) International Application Number: PCT/EP00/08747
- (22) International Filing Date:
6 September 2000 (06.09.2000)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data:
60/152,653 7 September 1999 (07.09.1999) US
07 Mar 02 130mz
- (71) Applicant (for all designated States except US): SOCI-
ETE DES PRODUITS NESTLE S.A. [CH/CH]; P.O. Box
353, CH-1800 Vevey (CH).
- (71) Applicant (for US only): RUSSELL, Jody (heiress of
the deceased inventor) [US/US]; 393 Spring Garden Rd.,
Olean, MO 65064 (US).
- (72) Inventor: RUSSELL, Terry (deceased).
- (72) Inventor; and
- (75) Inventor/Applicant (for US only): YOUNG, Linda, A.
[US/US]; 2402 N.E. Parkway, St. Joseph, MO 64506 (US).
- (81) Designated States (national): AE, AG, AL, AM, AT, AU,
AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ,
DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR,
HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR,
LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ,
NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM,
TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.
- (84) Designated States (regional): ARIPO patent (GH, GM,
KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), European
patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE,
IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG,
CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).
- Published:**
— With international search report.
- For two-letter codes and other abbreviations, refer to the "Guid-
ance Notes on Codes and Abbreviations" appearing at the begin-
ning of each regular issue of the PCT Gazette.

(54) Title: METHOD FOR IMPROVING THE SKIN AND COAT OF PETS

(57) Abstract: A method for improving or maintaining the skin and coat system of a pet includes administering to the pet a nutri-
tional agent which promotes the growth of bifido- and lactic-bacteria in its gastro-intestinal tract. The nutritional agent may be a
prebiotic or a probiotic micro-organism, or both. The nutritional agent may be administered together with a long chain fatty acid.

WO 01/17365 A1

As a below named inventor, I hereby declare that:

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled:

the specification of which: (check one)

☒ was filed on 6 September 2000, as United States Application No. or PCT International Application No. PCT/EP00/08747 and was amended on 7 March 2002 (if applicable).

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose to the United States Patent Office all information which is known to me to be material to the patentability of this application in accordance with Title 37, Code of Federal Regulations, 1.56.

I hereby claim foreign priority benefits under Title 35, United States Code Section 119 or Section 365(b) of any foreign application(s) for patent or inventor's certificate, or Section 365(a) of any PCT international application which designated at least one country other than the United States, listed below and have also identified below, by checking the box, any foreign application for patent or inventor's certificate or PCT international application having a filing date before that of the application on which priority is claimed.

Prior Foreign Application(s)

435571/D/1 D9BJ01

I hereby claim the benefit under 35 U.S.C. Section 119(e) of any United States provisional application(s) listed below:

Application Serial No.

60/152,653

Filing Date

September 7, 1999

I hereby claim the benefit under 35 U.S.C. Section 120 of any United States application(s), or Section 365(c) of any PCT international application designating the United States, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT international application in the manner provided by the first paragraph of 35 U.S.C. Section 112, I acknowledge the duty to disclose to the United States Patent and Trademark Office all information known to me to be material to patentability as defined in Title 37, C.F.R., Section 1.56 which became available between the filing date of the prior application and the national or PCT international filing date of this application:

Application Serial No.


Filing Date

Status

(patented, pending, abandoned)

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

And I hereby appoint the practitioners at customer number: 29157



as my attorneys with full power of substitution and revocation, to prosecute this application and to transact all business in the Patent and Trademark Office connected therewith and direct that all correspondence be forwarded to:

Bell, Boyd & Lloyd LLC
P.O. Box 1135
Chicago, Illinois 60690-1135

And all telephone calls be directed to: (312) 807-4204.

Full name of sole or first inventor Linda A. Young	
Sole or first inventor's signature <i>Linda A. Young</i>	Date 8/8/02
Residence St. Joseph, Missouri <i>MO</i>	
Citizenship United States	
Post Office Address 2402 NE Parkway	
St. Joseph, Missouri 64506	

Full name of second inventor Terry Russell (deceased)	
Second inventor's signature <i>Jody Russell</i>	Date 8-23-02
Jody Russell (Heiress of Terry Russell)	
Residence Olean, Missouri	MO
Citizenship United States	
Post Office Address In care of: Jody Russell (Heiress of Terry Russell) 393 Spring Garden Rd. Olean, Missouri 65064	

Full name of third inventor	
Third inventor's signature	Date
Residence	
Citizenship	
Post Office Address	